

YouGov / Compassion in Dying Survey Results

Sample Size: 3304 GB Adults Fieldwork: 29th April - 1st May 2015

iay 2015																					
		٧	oting/	intenti	on	20	010 V	te	Ge	ender		A	ge		Social	Grade			Region		
	Total	Con	Lab	Lib Dem	UKIP	Con	Lab	Lib Dem	Male	Female	18-24	25-39	40-59	60+	ABC1	C2DE	London	Rest of South	Midlands / Wales	North	Scotland
Weighted Sample	3304	Χ	Χ	Х	Χ	949	817	660	1602	1702	393	836	1130	945	1883	1421	423	1074	707	813	287
Unweighted Sample	3304	973	937	234	359	981	787	687	1645	1659	368	825	1099	1012	1984	1320	501	1101	650	787	265
•	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

The following few questions cover the topic of end-of life care and dying which some respondents may not wish to answer. Please remember that your answers to all YouGov surveys are entirely confidential and will only ever be analysed in combination with other respondents' answers.

If you would rather not answer these questions, please select the 'Skip questions' option otherwise please select the 'Continue with questions' option.

Continue with the questions	80	81	80	87	79	81	82	85	76	84	70	78	83	84	82	78	76	81	81	79	85
Skip questions	20	19	20	13	21	19	18	15	24	16	30	22	17	16	18	22	24	19	19	21	15

Weighted Sample	2649	765	770	200	285	767	667	563	1221	1429	276	648	936	789	1539	1111	322	873	572	638	244
Unweighted Sample	2671	801	752	202	286	800	643	588	1273	1398	266	646	908	851	1634	1037	385	908	529	624	225
_	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

[The following questions were only asked to those who wanted to continue with these questions; n=2671]

Thinking back to the last close relative or friend who has died, did they pass away suddenly or were they suffering from a short or long-term illness?

Suddenly	20	19	22	19	18	20	21	20	20	20	19	21	21	18	20	20	21	18	21	19	27
Short illness	34	39	33	29	32	35	33	32	34	33	28	29	34	39	34	33	28	35	31	38	31
Long illness	39	37	38	45	43	39	39	41	37	40	38	38	38	40	38	39	41	39	41	35	36
Not applicable - no one close to me has died	8	6	7	7	6	6	7	6	8	7	16	12	7	2	7	8	10	8	7	8	6



YouGov / Compassion in Dying S

Sample Size: 3304 GB Adults Fieldwork: 29th April - 1st May 2015

y 2013							
			lative/friend v ood/bad way	who died in a ?	End-of-life w	rishes formal	ly recorded?
	Total	A good way	A bad way	Don't know	Yes	No	Don't know
Weighted Sample	3304	753	904	257	373	979	561
Unweighted Sample	3304	773	902	262	376	991	570
•	%	%	%	%	%	%	%

The following few questions cover the topic of end-of life care and dying which some respondents may not wish to answer. Please remember that your answers to all YouGov surveys are entirely confidential and will only ever be analysed in combination with other respondents' answers.

If you would rather not answer these questions, please select the 'Skip questions' option otherwise please select the 'Continue with questions' option.

Skip questions	20	0	0	0	0	0	0
Weighted Sample	2649	753	904	257	373	979	561
Unweighted Sample	2671	773	902	262	376	991	570
-	0/_	0/_	0/_	0/.	0/_	0/_	0/_

[The following questions were only asked to those who wanted to continue with these questions; n=2671

Thinking back to the last close relative or friend who has died, did they pass away suddenly or were they suffering from a short or long-term illness?

Suddenly	20	0	0	0	0	0	0
Short illness	34	53	40	51	44	48	46
Long illness	39	47	60	49	56	52	54
Not applicable - no one close to me has died	8	0	0	0	0	0	0



ay = 0.0																					
		٧	oting/	intenti	on	2	010 V	ote	Ge	ender		A	ge		Social	Grade			Region		
	Total	Con	Dem			Con	Lab	Lib Dem	Male	Female	18-24	25-39	40-59	60+	ABC1	C2DE	London	Rest of South	Midlands / Wales	North	Scotland
Weighted Sample	3304	Χ	Χ	Χ	Χ	949	817	660	1602	1702	393	836	1130	945	1883	1421	423	1074	707	813	287
Unweighted Sample	3304	973	937	234	359	981	787	687	1645	1659	368	825	1099	1012	1984	1320	501	1101	650	787	265
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
Weighted Sample	1913	576	548	148	214	567	480	412	877	1036	180	435	673	626	1115	798	220	648	413	468	164
Unweighted Sample	1937	606	537	152	215	591	464	435	920	1017	173	435	654	675	1186	751	263	682	384	456	152
•	%				%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	

Thinking back to the last close relative or friend of yours who has died, generally speaking, do you think they died in a good way or bad way?

[This question was only asked to those who had a close relative or friend who had a short or long illness; n=1937]

A good way	39	45	38	47	35	43	38	39	39	39	37	35	37	46	42	36	37	42	39	37	36
A bad way	47	42	49	42	54	45	51	46	46	48	44	47	51	44	45	50	45	45	48	48	55
Don't know	13	13	13	12	11	12	11	15	15	12	19	19	11	10	14	13	18	12	13	15	q

Do you know if their end-of-life wishes had been formally recorded (for example, through completing a Living Will or Advance Decision, or having their wishes recorded in their medical notes) so that medical professionals knew what they had wanted?

[This question was only asked to those who had a close relative or friend who had a short or long illness: n=1937]

Yes, their end-of-life wishes had been formally
recorded
No, their end-of-life wishes had not been formally
recorded
Don't know

20																	21	16	20	18
									55									52	52	52
29	28	27	32	29	25	27	31	32	27	52	36	25	23	30	28	32	28	31	28	30

Towards the end of their life, how much, if any, time did they spend in hospital which you think could have been avoided?

[This question was only asked to those who had a close relative or friend who had a short or long illness; n=1937]

A great deal of time A fair amount of time	9	8	10	6	10	9	9	8	9	10	10	10	11	7	8	11	12	8	10	9	10
A fair amount of time	21	18	23	17	19	20	21	21	20	21	23	22	24	16	20	21	20	19	23	20	26



A fair amount of time 21

Fieldwork: 29th April - 1st May 2015		II ast close re	lative/friend	who died in a			
			jood/bad way		End-of-life v	ishes form	ally recorded?
	Total	A good way	A bad way	Don't know	Yes	No	Don't know
Weighted Sample	3304	753	904	257	373	979	561
Unweighted Sample	3304	773	902	262	376	991	570
	%	%	%	%	%	%	%
Weighted Sample	1913	753	904	257	373	979	561
Unweighted Sample	1937	773	902	262	376	991	570
	%	%	%	%	%	%	%
Thinking back to the last close relative or friend of yours who has died, generally speaking, do you think they died in a good way or bad way?							
[This question was only asked to those who had a close relative or friend who had a short or long illness; n=1937]							
A good way	39	100	0	0	52	37	35
A bad way	47	0	100	0	40	54	41
Don't know	13	0	0	100	8	9	25
Do you know if their end-of-life wishes had been formally recorded (for example, through completing a Living Will or Advance Decision, or having their wishes recorded in their medical notes) so that medical professionals knew what they had wanted? [This question was only asked to those who had a close relative or friend who had a short or long illness; n=1937]							
Yes, their end-of-life wishes had been formally recorded	20	26	17	11	100	0	0
No, their end-of-life wishes had not been formally recorded	51	48	58	35	0	100	0
Don't know	29	26	25	54	0	0	100
Towards the end of their life, how much, if any, time did they spend in hospital which you think could have been avoided? [This question was only asked to those who had a close relative or friend who had a short or long illness; n=1937]	0	1 4	45	-		40	0
A great deal of time	9	4	15	5	9	10	8

17



lieldwork. 29th April - 15t May 2015																					
		٧	oting/	intenti	on	20)10 Vc	ote	Ge	nder		Α	ge		Social	Grade			Region		
	Total	Con	Lab	Lib Dem	UKIP	Con	Lab	Lib Dem	Male	Female	18-24	25-39	40-59	60+	ABC1	C2DE	London	Rest of South	Midlands / Wales	North	Scotland
Weighted Sample	3304	Х	Χ	Χ	Χ	949	817	660	1602	1702	393	836	1130	945	1883	1421	423	1074	707	813	287
Unweighted Sample	3304	973	937	234	359	981	787	687	1645	1659	368	825	1099	1012	1984	1320	501	1101	650	787	265
	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%
TOTAL A GREAT DEAL / A FAIR AMOUNT	30	26	33	23	29	29	30	29	29	31	33	32	35	23	28	32	32	27	33	29	36
Not very much time	44	47	41	53	44	46	45	46	45	44	38	44	42	49	47	41	41	45	43	47	42
No time at all	18	20	19	18	19	20	18	18	18	19	11	13	17	25	17	19	15	20	18	19	14
TOTAL NOT MUCH / NO TIME AT ALL	62	67	60	71	63	66	63	64	63	63	49	57	59	74	64	60	56	65	61	66	56
Don't know	7	6	7	6	8	5	7	7	8	7	18	10	6	4	7	7	12	7	7	5	8



riciawork. 25th April - 15t May 2015									
			lative/friend ood/bad way	who died in a ?	End-of-life wishes formally recorded?				
	Total	A good way	A bad way	Don't know	Yes	No	Don't know		
Weighted Sample	3304	753	904	257	373	979	561		
Unweighted Sample	3304	773	902	262	376	991	570		
-	%	%	%	%	%	%	%		
TOTAL A GREAT DEAL / A FAIR AMOUNT	30	19	42	20	28	34	25		
Not very much time	44	52	37	47	43	44	45		
No time at all	18	24	16	12	25	18	13		
TOTAL NOT MUCH / NO TIME AT ALL	62	76	53	59	68	62	58		
Don't know	7	5	5	22	4	3	17		



nay zoro																					
		Voting intention			2010 Vote			Gender		Age		Age		Social Grade		Region					
	Total	Con	Lab	Lib Dem	UKIP	Con	Lab	Lib Dem	Male	Female	18-24	25-39	40-59	60+	ABC1	C2DE	London	Rest of South	Midlands / Wales	North	Scotland
Weighted Sample	3304	Χ	Χ	Χ	Χ	949	817	660	1602	1702	393	836	1130	945	1883	1421	423	1074	707	813	287
Unweighted Sample	3304	973	937	234	359	981	787	687	1645	1659	368	825	1099	1012	1984	1320	501	1101	650	787	265
•	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

And towards the end of their life, do you think they were given medical treatment which was intended to keep them alive?

[This question was only asked to those who had a close relative or friend who had a short or long illness; n=1937]

Yes, they were	39	41	38	32	40	41	36	35	46	33	47	48	34	36	40	38	45	37	41	36	40
No, they were not	41	40	45	47	41	42	47	43	34	47	28	32	48	44	41	42	39	42	42	43	35
Don't know	20	19	17	21	19	18	17	22	20	20	25	20	17	20	20	20	16	21	17	21	25

Which one of the following statements comes closest to your view?

[This question was only asked to those whose close relative or friend received medical treatment; n=753]

Receiving the medical treatment was what they would have wanted	63	67	68	61	67	67	66	58	67	58	56	59	57	76	62	65	68	60	63	65	63
Receiving the medical treatment was not what they would have wanted	20	19	18	14	18	16	18	23	17	23	21	17	27	15	20	20	20	22	21	18	16
Don't know	17	14	14	25	15	17	15	19	16	19	23	24	16	9	18	15	12	18	16	18	21



			lative/friend v ood/bad way	who died in a ?	End-of-life v	vishes forma	ally recorded?
	Total	A good way	A bad way	Don't know	Yes	No	Don't know
Weighted Sample	3304	753	904	257	373	979	561
Unweighted Sample	3304	773	902	262	376	991	570
life, do you think	%	%	%	%	%	%	%

And towards the end of their life, do you think they were given medical treatment which was intended to keep them alive?

[This question was only asked to those who had a close relative or friend who had a short or long illness; n=1937]

Yes, they were	39	38	41	33	43	39	37
No, they were not	41	44	42	31	45	48	28
Don't know	20	17	17	36	12	13	36

Which one of the following statements comes closest to your view?

[This question was only asked to those whose close relative or friend received medical treatment; n=753]

Receiving the medical treatment was what they would have wanted	63	78	52	59	75	61	59
Receiving the medical treatment was not what they	20	13	27	13	17	26	10
would have wanted		. •		.0	• •		
Don't know	17	9	21	28	9	13	31